

Author Index to Volume 192

- Abe, S., M. Schreiber and W.-P. Su, Nonlinear optical susceptibilities of polysilanes: exciton effect 192 (1992) 425
- Abe, T., see K. Kajikawa 192 (1992) 113
- Adamowicz, L., C_2H_2 -CO complex. Ab initio calculations with the coupled-cluster method and first-order correlation orbitals 192 (1992) 199
- Alameddini, G., J. Hunter, D. Cameron and M.M. Kappes, Electronic and geometric structure in silver clusters 192 (1992) 122
- Al-Janabi, F.A.H., see M. Hippler 192 (1992) 173
- Alpert, B., see V. Le Tilly 192 (1992) 62
- Alvarez, L.J., J. Fernández Sanz, M.J. Capitán and J.A. Odriozola, Molecular dynamics studies of the structure of γ -alumina 192 (1992) 463
- Andersson, K., see B.O. Roos 192 (1992) 5
- Anzai, T., see K. Kajikawa 192 (1992) 113
- Aquilanti, V., R. Candori, D. Cappelletti, V. Lorent and F. Pirani, A magnetically selected beam of chlorine atoms 192 (1992) 145
- Aquilanti, V., D. Cappelletti, V. Lorent, E. Luzzatti and F. Pirani, The ground and lowest excited states of XeCl by atomic beam scattering 192 (1992) 153
- Asensio, M.C., D.P. Woodruff, A.W. Robinson, K.-M. Schindler, P. Gardner, D. Ricken, A.M. Bradshaw, J.C. Conesa and A.R. González-Elipe, Single local site structure for vibrationally distinct adsorption states: NO on Ni(111) 192 (1992) 259
- Atkins, M.J., A.C. Legon and A.L. Wallwork, The pairwise interaction of methane and hydrogen bromide: properties of the weakly bound dimer $CH_4 \cdots HBr$ from microwave spectroscopy 192 (1992) 368
- Bacal, M., see C. Gorse 192 (1992) 161
- Bacalis, N.C., see C.A. Nicolaides 192 (1992) 486
- Bakowies, D. and W. Thiel, Theoretical study of buckminsterfullerene derivatives $C_{60}X_n$ ($X=H, F$; $n=2, 36, 60$) 192 (1992) 236
- Ballhausen, C.J., Time-dependent raising and lowering operators for the ageing, forced and damped oscillator in quantum mechanics 192 (1992) 49
- Barandiarán, Z., see L. Seijo 192 (1992) 217
- Bartkiewicz, E., see O.J. Nielsen 192 (1992) 82
- Bässler, H., see R.F. Mahrt 192 (1992) 576
- Bauschlicher Jr., C.W., see M. Sodupe 192 (1992) 185
- Beaudet, R.A., see Z.S. Huang 192 (1992) 309
- Behm, R.J., see A. Feltz 192 (1992) 271
- Benito, R.M., see J.M. Gomez Llorente 192 (1992) 430
- Ben-Nun, M. and R.D. Levine, An approximate solution of the Fokker-Planck equation for reactions in condensed phases 192 (1992) 472
- Berenguer, N., see J.M. Gomez Llorente 192 (1992) 430

- Bernardi, F., A. Bottoni, P. Celani, M. Olivucci, M.A. Robb and A. Venturini, The existence and stability of singlet tetramethylene biradicals: an ab initio MCSCF/MP2 study 192 (1992) 229
- Bodor, N. and M.-J. Huang, Optimized structures and relative stabilities of the isomers of $(\text{CO}_2)_{2n+1}$ ($1 \leq n \leq 6$) from AM1 calculations 192 (1992) 386
- Bognar, J.A., see W.B. Knighton 192 (1992) 522
- Bonang, C.C. and S.M. Cameron, Resonance hyper-Raman and Raman scattering from benzene and fluorobenzene 192 (1992) 303
- Borondo, F., see J.M. Gomez Llorente 192 (1992) 430
- Bottoni, A., see F. Bernardi 192 (1992) 229
- Boutalib, A. and J.P. Daudey, Theoretical study of the atomic spectra of the calcium atom 192 (1992) 493
- Bradshaw, A.M., see M.C. Asensio 192 (1992) 259
- Bräuchle, C., see B. Sauter 192 (1992) 321
- Buchachenko, A.L., V.F. Tarasov, N.D. Ghatlia and N.J. Turro, Magnetic probing of transition states 192 (1992) 139
- Byers Brown, W., M.A. Vincent, K. Trollope and I.H. Hillier, Van der Waals and charge-transfer complexes of molecular oxygen and water 192 (1992) 213
- Cameron, D., see G. Alameddine 192 (1992) 122
- Cameron, S.M., see C.C. Bonang 192 (1992) 303
- Campargue, A., J. Vetterhöffer and M. Chenevier, Rotationally resolved overtone transitions of $^{70}\text{GeH}_4$ in the visible and near-infrared 192 (1992) 353
- Candori, R., see V. Aquilanti 192 (1992) 145
- Capitán, M.J., see L.J. Alvarez 192 (1992) 463
- Capitelli, M., see C. Gorse 192 (1992) 161
- Cappelletti, D., see V. Aquilanti 192 (1992) 145
- Cappelletti, D., see V. Aquilanti 192 (1992) 153
- Celani, P., see F. Bernardi 192 (1992) 229
- Celiberto, R., see C. Gorse 192 (1992) 161
- Chandler, D.W., see G. Meijer 192 (1992) 1
- Charra, F., D. Fichou, J.-M. Nunzi and N. Pfeffer, Picosecond photoinduced dichroism in solutions of thiophene oligomers 192 (1992) 566
- Chenevier, M., see A. Campargue 192 (1992) 353
- Chupka, W.A., see Y. Wang 192 (1992) 348
- Clary, D.C., Bond-selected reaction of HOD with H atoms 192 (1992) 34
- Claxton, T.A., Dj.M. Maric and P.F. Meier, Structure of anomalous muonium and the importance of zero-point energy 192 (1992) 29
- Cohen, M.J., N.C. Handy, R. Hernandez and W.H. Miller, Cumulative reaction probabilities for $\text{H} + \text{H}_2 \rightarrow \text{H}_2 + \text{H}$ from a knowledge of the anharmonic force field 192 (1992) 407
- Conesa, J.C., see M.C. Asensio 192 (1992) 259
- Crawford, T.D. and W. Yang, The Hartley basis functions and transform: alternatives to plane waves and the Fourier transform 192 (1992) 45
- Curl, R.F., see K.K. Murray 192 (1992) 512
- Da Costa, H.F.M., A.M. Simas, V.H. Smith Jr. and M. Trsic, The generator coordinate Hartree-Fock method for molecular systems. Near Hartree-Fock limit calculations for N_2 , CO and BF 192 (1992) 195
- Dan, P., see H.T. Liou 192 (1992) 560

Daudey, J.P., see A. Boutalib	192 (1992) 493
Davis, M.J., Smoothed eigenstates from molecular spectra	192 (1992) 479
Dinur, U., Bond contraction and spectral blue-shift in hydrogen-bonded dimers. An atom-based molecular mechanics analysis	192 (1992) 399
Dlott, D.D., see X. Wen	192 (1992) 315
Doverstål, M., B. Lindgren, U. Sassenberg and H. Yu, The A-X system of the copper dimer studied by resonant two-photon ionization spectroscopy	192 (1992) 283
Dreger, Z.A., see J.M. Lang	192 (1992) 299
Drickamer, H.G., see J.M. Lang	192 (1992) 299
Duncan, M.A., see K.F. Willey	192 (1992) 179
Eiswirth, M., M. Lübke, K. Krischer, W. Wolf, J.L. Hudson and G. Ertl, Structural effects on the dynamics of an electrocatalytic oscillator	192 (1992) 254
Ellermann, T., see O.J. Nielsen	192 (1992) 82
Ertl, G., see M. Eiswirth	192 (1992) 254
Feltz, A., U. Memmert and R.J. Behm, In situ STM imaging of high temperature oxygen etching of Si(111)(7×7) surfaces	192 (1992) 271
Ferkel, H., State-selected chemiionization cross sections of He*(2 ^{1,3} S) + H ₂ in the energy range from 0.1 to 1.6 eV	192 (1992) 327
Fernández, A., Modulation of the stability of a replication complex and its effect on the rate of chain elongation: extending the notion of processivity	192 (1992) 294
Fernández Sanz, J., see L.J. Alvarez	192 (1992) 463
Fichou, D., see F. Charra	192 (1992) 566
Fitzmaurice, D.J. and H. Frei, Electronic absorption of alkyl nitrite radicals in the 300–700 nm region	192 (1992) 166
Flynn, G.W., see J. Park	192 (1992) 138
Frei, H., see D.J. Fitzmaurice	192 (1992) 166
Fukuda, A., see K. Kajikawa	192 (1992) 113
Fülscher, M.P., see B.O. Roos	192 (1992) 5
Funatsu, T., see M. Tsuji	192 (1992) 362
Gabriel, H., see H.H. von Grünberg	192 (1992) 503
Garbow, J.R. and T. Gullion, The importance of precise timing in pulsed, rotor-synchronous MAS NMR	192 (1992) 71
Gardner, P., see M.C. Asensio	192 (1992) 259
Ghatlia, N.D., see A.L. Buchachenko	192 (1992) 139
Glass, G.P., see K.K. Murray	192 (1992) 512
Göhlich, H., see T. Lange	192 (1992) 544
Goldberg, S.Y., E. Pines and D. Huppert, Proton scavenging in photoacid geminate recombination processes	192 (1992) 77
Gomez Llorente, J.M., F. Borondo, N. Berenguer and R.M. Benito, Saddle point resonances in a bound system with classical chaos	192 (1992) 430
Gömöry, Á., see Á. Somogyi	192 (1992) 221
González-Elipe, A.R., see M.C. Asensio	192 (1992) 259
Gorse, C., M. Bacal, R. Celiberto and M. Capitelli, Nonequilibrium plasma kinetics of D ₂ in magnetic multicusp plasmas for D ⁻ production	192 (1992) 161

Grabowski, J.J., see R.R. Hung	192 (1992) 249
Grey, C.P. and W.S. Veeman, The detection of weak heteronuclear coupling between spin 1 and spin 1/2 nuclei in MAS NMR; $^{14}\text{N}/^{13}\text{C}/^1\text{H}$ triple resonance experiments	192 (1992) 379
Grimsrud, E.P., see W.B. Knighton	192 (1992) 522
Grupp, A., see N.S. Sariciftci	192 (1992) 375
Gruschus, J.M. and A. Kuki, Modelling ab initio non-bonded interactions for sigma bond, pi bond, and lone pair orbitals	192 (1992) 205
Gullion, T., see J.R. Garbow	192 (1992) 71
Hampel, C., K.A. Peterson and H.-J. Werner, A comparison of the efficiency and accuracy of the quadratic configuration interaction (QCISD), coupled cluster (CCSD), and Brueckner coupled cluster (BCCD) methods, Chem. Phys. Letters 190 (1992) 1. Erratum	192 (1992) 332
Handy, N.C., see M.J. Cohen	192 (1992) 407
Hashizume, T., see M. Taniguchi	192 (1992) 117
Hauser, A., Cooperative effects on the HS→LS relaxation in the $[\text{Fe}(\text{ptz})_6](\text{BF}_4)_2$ spin-crossover system	192 (1992) 65
Heinemann, D., see L. Yang	192 (1992) 499
Hernandez, R., see M.J. Cohen	192 (1992) 407
Hess, B.A., see G. Jansen	192 (1992) 21
Hillier, I.H., see W. Byers Brown	192 (1992) 213
Hippler, H. and J. Troe, Rate constants of the reaction $\text{HO} + \text{H}_2\text{O}_2 \rightarrow \text{HO}_2 + \text{H}_2\text{O}$ at $T \geq 1000$ K	192 (1992) 333
Hippler, M., F.A.H. Al-Janabi and J. Pfab, Photodissociation of jet-cooled methyl and <i>t</i> -butyl nitrite near 380 nm	192 (1992) 173
Hirano, T., see K. Sato	192 (1992) 395
Hirota, N., see S. Nagaoka	192 (1992) 532
Hiyama, M., S. Nanbu and S. Iwata, The excimer emission spectra and the interaction potential energy of the ground and excited states of He and alkali-metal ion systems	192 (1992) 443
Hop, C.E.C.A., see F.E. Wilkinson	192 (1992) 517
Hoshimoto, E., see S. Nagaoka	192 (1992) 532
Hsu, T.Y., see H.T. Liou	192 (1992) 560
Huang, M.-J., see N. Bodor	192 (1992) 386
Huang, Z.S., J.E. Verdasco, C. Wittig and R.A. Beaudet, High-resolution infrared diode laser spectroscopy of $\text{SO}(^3\Sigma^-)$ in a secondary-slit supersonic expansion	192 (1992) 309
Hudson, J.L., see M. Eiswirth	192 (1992) 254
Hung, R.R. and J.J. Grabowski, C_{70} : intersystem crossing and singlet oxygen production	192 (1992) 249
Hunter, J., see G. Alameddine	192 (1992) 122
Huppert, D., see S.Y. Goldberg	192 (1992) 77
Hurley, M.D., see O.J. Nielsen	192 (1992) 82
Hussain, Z., see Y. Zheng	192 (1992) 108
Huzinaga, S., see L. Seijo	192 (1992) 217
Ingman, L.P., see E.E. Ylinen	192 (1992) 590
Ito, H., see K. Kajikawa	192 (1992) 113
Itoh, A., see S. Nagaoka	192 (1992) 532
Iwabuchi, S., see K. Sato	192 (1992) 395

Iwata, S., see M. Hiyama	192 (1992) 443
Jansen, G. and B.A. Hess, Ab initio interaction potentials between an Ar atom and the NH radical in the states $X^3\Sigma^-$, $a^1\Delta$ and $b^1\Sigma^+$	192 (1992) 21
Jug, K. and A.M. Köster, Nonsymmetrical orthogonalization as a consequence of charge and moment conservation	192 (1992) 437
Kajihara, H., see F. Okada	192 (1992) 357
Kajikawa, K., T. Anzai, H. Takezoe, A. Fukuda, S. Okada, H. Matsuda, H. Nakanishi, T. Abe and H. Ito, Second-harmonic generation in Langmuir and Langmuir-Blodgett films of a polymer with pendant chromophore	192 (1992) 113
Kalcher, J. and A.F. Sax, The electron affinities of Si_2H_2 , Si_2H_3 , and Si_2H_4	192 (1992) 451
Kappes, M.M., see G. Alameddine	192 (1992) 122
Kar, T. and E. Sánchez Marcos, Three-center four-electron bonds and their indices	192 (1992) 14
Khemani, K.C., see V.I. Srdanov	192 (1992) 243
Kim, M.S., see Y.J. Lee	192 (1992) 89
Kirtman, B., see V.I. Srdanov	192 (1992) 243
Klein, D.J., see X. Liu	192 (1992) 331
Klein, U.K.A., see A. Suwaiyan	192 (1992) 581
Kleinerhann, K., see J. Schlütter	192 (1992) 94
Klots, C.E., Steric factors for bimolecular reactions	192 (1992) 41
Knickelbein, M.B., Electronic shell structure in the ionization potentials of copper clusters	192 (1992) 129
Knighton, W.B., J.A. Bogner and E.P. Grimsrud, Thermal electron detachment rate constants for the molecular anion of perfluorobenzene	192 (1992) 522
Koch, A., see V.I. Srdanov	192 (1992) 243
Koda, S., see F. Okada	192 (1992) 357
Koinuma, H., see K. Sato	192 (1992) 395
Koivula, E., see E.E. Ylinen	192 (1992) 590
Kolb, D., see L. Yang	192 (1992) 499
Komninos, Y., see C.A. Nicolaides	192 (1992) 486
Köster, A.M., see K. Jug	192 (1992) 437
Kouno, H., see M. Tsuji	192 (1992) 362
Kowalewski, J., see L. Mäler	192 (1992) 595
Krischer, K., see M. Eiswirth	192 (1992) 254
Kuki, A., see J.M. Gruschus	192 (1992) 205
Lalowicz, Z.T., see E.E. Ylinen	192 (1992) 590
Lang, J.M., Z.A. Dreger and H.G. Drickamer, Luminescence studies of rhenium(I) complexes under high pressure	192 (1992) 299
Lange, T., H. Göhlich, U. Näher and T.P. Martin, Shell-dependent reactivity of sodium clusters with oxygen	192 (1992) 544
Lee, Y., see J. Park	192 (1992) 138
Lee, Y.J. and M.S. Kim, Anomalous translational energy upshift in collisionally activated dissociation of hexafluorobenzene molecular ion	192 (1992) 89
Legon, A.C., see M.J. Atkins	192 (1992) 368
Le Tilly, V., O. Sire, P.T.T. Wong and B. Alpert, pH dependence of hydrogen bond strengths in myoglobin α helices	192 (1992) 62

Levine, R.D., see M. Ben-Nun	192 (1992) 472
Li, L., see Y. Wang	192 (1992) 348
Lin, H.M., see H.T. Liou	192 (1992) 560
Lindgren, B., see M. Doverstål	192 (1992) 283
Liou, H.T., P. Dan, T.Y. Hsu, H. Yang and H.M. Lin, The predissociation of CS ₂ at 210 nm and the spectra of photofragment CS	192 (1992) 560
Liu, X., T.G. Schmalz and D.J. Klein, Reply to Comment on "Favourable structures for higher fullerenes"	192 (1992) 331
Liu, X. and J.K. Thomas, Ionic clusters in γ -irradiated zeolites and their transformation on increasing temperature	192 (1992) 555
Lorent, V., see V. Aquilanti	192 (1992) 145
Lorent, V., see V. Aquilanti	192 (1992) 153
Lu, P.H., see Q.Z. Qin	192 (1992) 265
Lübke, M., see M. Eiswirth	192 (1992) 254
Luzzatti, E., see V. Aquilanti	192 (1992) 153
Ma, H., see H. Qian	192 (1992) 338
Magnera, T.F. and J. Michl, Photodissociation of Ar _{n-m} N _{2m} ⁺ clusters ($n=2$ or 3 , $m=0-n$)	192 (1992) 99
Mahrt, R.F., J. Yang and H. Bässler, Spectroscopic assessment of the role of disorder and polaron formation on electronic transport in molecularly doped polymers	192 (1992) 576
Mäler, L. and J. Kowalewski, Cross-correlation effects in the longitudinal relaxation of heteronuclear spin systems	192 (1992) 595
Mandal, S.H., see G. Sanyal	192 (1992) 55
Manolopoulos, D.E., Comment on "Favourable structures for higher fullerenes"	192 (1992) 330
Margolese, D., see V.I. Srdanov	192 (1992) 243
Maric, Dj.M., see T.A. Claxton	192 (1992) 29
Martin, T.P., see T. Lange	192 (1992) 544
Mastromarino, J., see A. Suwaiyan	192 (1992) 581
Matsuda, H., see K. Kajikawa	192 (1992) 113
McBreen, P.H., see S. Serghini Monim	192 (1992) 547
McMahon, T.B., see F.E. Wilkinson	192 (1992) 517
Mehring, M., see N.S. Sariciftci	192 (1992) 375
Meier, P.F., see T.A. Claxton	192 (1992) 29
Meijer, G. and D.W. Chandler, Degenerate four-wave mixing on weak transitions in the gas phase using a tunable excimer laser	192 (1992) 1
Memmert, U., see A. Feltz	192 (1992) 271
Messmer, R.P. and C.H. Patterson, Long bonds in silicon clusters: a failure of conventional Møller-Plesset perturbation theory?	192 (1992) 277
Michl, J., see T.F. Magnera	192 (1992) 99
Miller, W.H., see M.J. Cohen	192 (1992) 407
Mukai, K., see S. Nagaoka	192 (1992) 532
Mukamel, S., see H.X. Wang	192 (1992) 417
Mukherjee, D., see G. Sanyal	192 (1992) 55
Muralidharan, S. and K. Yates, Bichromophoric anthracene derivatives with dual absorptive and emissive states	192 (1992) 571
Murray, K.K., K.G. Unfried, G.P. Glass and R.F. Curl, Acetylene combustion reactions. Rate constant measurements of HCCO with O ₂ and C ₂ H ₂	192 (1992) 512

- Nagaoka, S., A. Itoh, K. Mukai, E. Hoshimoto and N. Hirota, Investigation of the lowest excited triplet states of 2-(2'-hydroxyphenyl)benzothiazole and 2-(2'-hydroxyphenyl)benzoxazole by time-resolved electron paramagnetic resonance and molecular orbital calculations 192 (1992) 532
- Näher, U., see T. Lange 192 (1992) 544
- Nakanishi, H., see K. Kajikawa 192 (1992) 113
- Nanbu, S., see M. Hiyama 192 (1992) 443
- Nicolaides, C.A., N.C. Bacalis and Y. Komninos, Theory for the direct construction of diabatic states and application to the $\text{He}_2^+ \ ^2\Sigma_g^+$ spectrum 192 (1992) 486
- Nielsen, O.J., T. Ellermann, E. Bartkiewicz, T.J. Wallington and M.D. Hurley, UV absorption spectra, kinetics and mechanisms of the self-reaction of CHF_2O_2 radicals in the gas phase at 298 K 192 (1992) 82
- Nishimura, Y., see M. Tsuji 192 (1992) 362
- Noid, D.W., see B.G. Sumpter 192 (1992) 455
- Nordio, P.L., see A. Polimeno 192 (1992) 509
- Nunzi, J.-M., see F. Charra 192 (1992) 566
- Odriozola, J.A., see L.J. Alvarez 192 (1992) 463
- Okada, F., H. Kajihara and S. Koda, Emissions and relaxations of electronically excited O_2 produced by 193 nm irradiation in a low-temperature Ar crystal 192 (1992) 357
- Okada, S., see K. Kajikawa 192 (1992) 113
- Olivucci, M., see F. Bernardi 192 (1992) 229
- Park, J., Y. Lee and G.W. Flynn, Tunable diode laser probe of chlorine atoms produced from the photodissociation of a number of molecular precursors, *Chem. Phys. Letters* 186 (1991) 441. Erratum 192 (1992) 138
- Partridge, H., see M. Sodupe 192 (1992) 185
- Patterson, C.H., see R.P. Messmer 192 (1992) 277
- Peterson, K.A., see C. Hampel 192 (1992) 332
- Pfab, J., see M. Hippler 192 (1992) 173
- Pfeffer, N., see F. Charra 192 (1992) 566
- Pines, E., see S.Y. Goldberg 192 (1992) 77
- Pirani, F., see V. Aquilanti 192 (1992) 145
- Pirani, F., see V. Aquilanti 192 (1992) 153
- Polimeno, A. and P.L. Nordio, Kinetic regimes in coupled systems 192 (1992) 509
- Poolman, E., see V.I. Srdanov 192 (1992) 243
- Port, H., see V. Weiss 192 (1992) 289
- Punkkinen, M., see E.E. Ylinen 192 (1992) 590
- Qian, H., Q. Zhu, H. Ma and B.A. Thrush, High-resolution spectroscopy of ν_3 and $\nu_1 + \nu_3$ bands of SiD_4 192 (1992) 338
- Qin, Q.Z., P.H. Lu, Z.J. Zhuang and Q.K. Zheng, An angle-resolved TOF study on the UV laser-induced etching of $\text{InP}(100)$ surface with chlorine 192 (1992) 265
- Rao, C.N.R., see P. Santikary 192 (1992) 390
- Ricken, D., see M.C. Asensio 192 (1992) 259

Robb, M.A., see F. Bernardi	192 (1992) 229
Robbins, D.L., see K.F. Willey	192 (1992) 179
Robinson, A.W., see M.C. Asensio	192 (1992) 259
Roos, B.O., K. Andersson and M.P. Fulscher, Towards an accurate molecular orbital theory for excited states: the benzene molecule	192 (1992) 5
Saab, A.P., see V.I. Srdanov	192 (1992) 243
Sagnowski, S.F., see E.E. Ylinen	192 (1992) 590
Sakurai, T., see M. Taniguchi	192 (1992) 117
Snchez Marcos, E., see T. Kar	192 (1992) 14
Santikary, P., S. Yashonath and C.N.R. Rao, Molecular dynamics simulation of clathrates: noble gases in the cages of β -hydroquinone	192 (1992) 390
Sanyal, G., S.H. Mandal and D. Mukherjee, Thermal averaging in quantum many-body systems: a non-perturbative thermal cluster cumulant approach	192 (1992) 55
Sariciftci, N.S., A. Grupp and M. Mehring, Overhauser shift of the electron spin resonance in the conducting form of polythiophene	192 (1992) 375
Sassenberg, U., see M. Doverstl	192 (1992) 283
Sato, K., A. Uchiyama, S. Iwabuchi, T. Hirano and H. Koinuma, Anomalous low-lying lowest excited triplet state of $\text{SiH}_2\text{FCH}-\text{CH}_2$: an ab initio molecular orbital study	192 (1992) 395
Sauter, B. and C. Bruchle, Efficient persistent spectral hole-burning of free-base octaethylporphine adsorbed on γ -alumina between 1.6 and 90 K	192 (1992) 321
Sax, A.F., see J. Kalcher	192 (1992) 451
Schindler, K.-M., see M.C. Asensio	192 (1992) 259
Schltter, J. and K. Kleinermanns, $\text{OH}(X^2\Pi)$ state distribution from HNO_3 photodissociation at 212.5 and 270 nm	192 (1992) 94
Schmalz, T.G., see X. Liu	192 (1992) 331
Schreiber, M., see S. Abe	192 (1992) 425
Seijo, L., Z. Barandiarn and S. Huzinaga, Atomic valence correlation energies from ab initio model potential calculations	192 (1992) 217
Serghini Monim, S. and P.H. McBreen, Photochemistry of adsorbed states of diazirine on Pd(110)	192 (1992) 547
Shavitt, I., The A_k and B_k approximate CI methods. Comment on a paper by Maynau and Heully	192 (1992) 135
Shirley, D.A., see Y. Zheng	192 (1992) 108
Simas, A.M., see H.F.M. da Costa	192 (1992) 195
Sire, O., see V. Le Tilly	192 (1992) 62
Smith Jr., V.H., see H.F.M. da Costa	192 (1992) 195
Sodupe, M., C.W. Bauschlicher Jr. and H. Partridge, A theoretical study of $\text{Mg}(\text{CO}_2)_n^+$ and $\text{Sr}(\text{CO}_2)_n^+$ for $n=1$ and 2 and Mg_2CO_2^+	192 (1992) 185
Somogyi, . and . Gmry, A comparative study of Mayer's indexes in B_nH_m species	192 (1992) 221
Srdanov, V.I., A.P. Saab, D. Margolese, E. Poolman, K.C. Khemani, A. Koch, F. Wudl, B. Kirtman and G.D. Stucky, Absorption spectra and electronic properties of alkali-metal-doped C_{60}	192 (1992) 243
Stucky, G.D., see V.I. Srdanov	192 (1992) 243
Su, W.-P., see S. Abe	192 (1992) 425
Sumpter, B.G. and D.W. Noid, Potential energy surfaces for macromolecules. A neural network technique	192 (1992) 455

Suwaiyan, A., J. Mastromarino and U.K.A. Klein, Absorption, fluorescence and saturation of $^{127}\text{I}_2$ in the region 16999.100–17001.300 cm^{-1}	192 (1992) 581
Takezoe, H., see K. Kajikawa	192 (1992) 113
Tanaka, K., see M. Taniguchi	192 (1992) 117
Taniguchi, M., K. Tanaka, T. Hashizume and T. Sakurai, Boundary structures of the $(n \times 1)$ added rows of Ag–O chains on an Ag(110) surface	192 (1992) 117
Tarasov, V.F., see A.L. Buchachenko	192 (1992) 139
Thiel, W., see D. Bakowies	192 (1992) 236
Thomas, J.K., see X. Liu	192 (1992) 555
Thrush, B.A., see H. Qian	192 (1992) 338
Tolbert, W.A., see X. Wen	192 (1992) 315
Troe, J., see H. Hippler	192 (1992) 333
Trollope, K., see W. Byers Brown	192 (1992) 213
Trsic, M., see H.F.M. da Costa	192 (1992) 195
Tsuji, M., T. Funatsu, H. Kouno and Y. Nishimura, Dissociative charge-transfer reactions of Ar^+ with chloromethanes at thermal energy	192 (1992) 362
Turro, N.J., see A.L. Buchachenko	192 (1992) 139
Uchiyama, A., see K. Sato	192 (1992) 395
Unfried, K.G., see K.K. Murray	192 (1992) 512
Veeman, W.S., see C.P. Grey	192 (1992) 379
Venanzi, C.A., see T.J. Venanzi	192 (1992) 469
Venanzi, T.J. and C.A. Venanzi, Barriers to C–C rotation in molecules with C=C and C=N conjugated bonds: a molecular orbital study	192 (1992) 469
Venturini, A., see F. Bernardi	192 (1992) 229
Verdasco, J.E., see Z.S. Huang	192 (1992) 309
Vetterhöffer, J., see A. Campargue	192 (1992) 353
Vincent, M.A., see W. Byers Brown	192 (1992) 213
Von Grünberg, H.H. and H. Gabriel, Lattice distortion of Ar and Xe crystals caused by a hydrogenic point defect	192 (1992) 503
Wallington, T.J., see O.J. Nielsen	192 (1992) 82
Wallwork, A.L., see M.J. Atkins	192 (1992) 368
Wang, H.X. and S. Mukamel, Optical response of conjugated polyenes. Electrons, holes and intermediate excitons	192 (1992) 417
Wang, Y., L. Li and W.A. Chupka, $(2+1)$ resonance-enhanced multiphoton ionization studies of the $\text{CH D}^2\Pi(v=2)$ state	192 (1992) 348
Weiss, V., H. Port and H.C. Wolf, Direct optical detection of the triplet T_1 -state in diphenylpolyene single crystals	192 (1992) 289
Wen, X., W.A. Tolbert and D.D. Dlott, Multiphonon up-pumping and molecular hot spots in superheated polymers studied by ultrafast optical calorimetry	192 (1992) 315
Werner, H.-J., see C. Hampel	192 (1992) 332
Wilkinson, F.E., C.E.C.A. Hop and T.B. McMahon, Low energy collision-induced dissociation of gas phase fluoride–alcohol adduct ions	192 (1992) 517
Willey, K.F., C.S. Yeh, D.L. Robbins and M.A. Duncan, Photodissociation spectroscopy of $\text{Mg}^+ - \text{CO}_2$	192 (1992) 179

Williams, D.E., OREMWA prediction of the structure of benzene clusters: transition from subsidiary to global energy minima	192 (1992) 538
Wittig, C., see Z.S. Huang	192 (1992) 309
Wolf, H.C., see V. Weiss	192 (1992) 289
Wolf, W., see M. Eiswirth	192 (1992) 254
Wong, P.T.T., see V. Le Tilly	192 (1992) 62
Woodruff, D.P., see M.C. Asensio	192 (1992) 259
Wudl, F., see V.I. Srdanov	192 (1992) 243
Yang, H., see H.T. Liou	192 (1992) 560
Yang, J., see R.F. Mahrt	192 (1992) 576
Yang, L., D. Heinemann and D. Kolb, Relativistic self-consistent calculations for small diatomic molecules by the finite element method	192 (1992) 499
Yang, W., see T.D. Crawford	192 (1992) 45
Yashonath, S., see P. Santikary	192 (1992) 390
Yates, K., see S. Muralidharan	192 (1992) 571
Yeh, C.S., see K.F. Willey	192 (1992) 179
Ylinen, E.E., Z.T. Lalowicz, S.F. Sagnowski, M. Punkkinen, E. Koivula and L.P. Ingman, Deuteron NMR spectrum of ND_4VO_3 and some other ammonium compounds	192 (1992) 590
Yu, H., see M. Doverstål	192 (1992) 283
Zheng, Q.K., see Q.Z. Qin	192 (1992) 265
Zheng, Y., Z. Hussain and D.A. Shirley, Amplitudes and phase shifts in electron-atom forward scattering: strong dependence on atomic valence electrons	192 (1992) 108
Zhu, Q., see H. Qian	192 (1992) 338
Zhuang, Z.J., see Q.Z. Qin	192 (1992) 265